

optical parameters of 10% intralipid (see Chen et al., Opt. Express, 14, 7420-7435 (2006))

wavelength (nm)	u_a (mm ⁻¹)_mean	u_a (mm ⁻¹)_std	u_s (mm ⁻¹)_mean	u_s (mm ⁻¹)_std	g_mean	g_std
550	0.138	0.010	37.7	0.010	0.620	0.023
580	0.138	0.010	35.1	0.010	0.620	0.023
610	0.143	0.014	32.6	0.014	0.610	0.022
640	0.142	0.014	29.6	0.014	0.582	0.025
670	0.142	0.014	26.7	0.014	0.562	0.030
700	0.142	0.014	24.1	0.014	0.534	0.029
730	0.147	0.018	21.7	0.018	0.508	0.038
760	0.158	0.014	19.5	0.014	0.479	0.043
790	0.161	0.011	17.8	0.011	0.451	0.037
820	0.158	0.017	15.7	0.017	0.396	0.060
850	0.158	0.017	14.8	0.017	0.381	0.048
880	0.168	0.020	13.5	0.020	0.350	0.051
910	0.168	0.020	12.5	0.020	0.324	0.077
940	0.185	0.022	11.5	0.022	0.292	0.070